REBUTTAL TESTIMONY OF

JOSEPH M. LYNCH

ON BEHALF OF

SOUTH CAROLINA ELECTRIC & GAS COMPANY

DOCKET NO. 2019-2-E

- 2 A. My name is Joseph M. Lynch and my business address is 220 Operation
- Way, Cayce, South Carolina.

5 Q. ARE YOU THE SAME JOSEPH LYNCH THAT OFFERED DIRECT

6 TESTIMONY IN THIS DOCKET?

7 A. Yes, I am.

8

9

4

Q. WHAT IS THE PURPOSE OF YOUR REBUTTAL TESTIMONY?

10 A. The purpose of my rebuttal testimony is to discuss the response of South
11 Carolina Electric & Gas Company ("SCE&G" or the "Company") to certain issues
12 raised in 1) the direct testimony of Mr. Brian Horii filed on behalf of the South
13 Carolina Office of Regulatory Staff ("ORS"), 2) the direct testimony of Ms. Devi
14 Glick filed on behalf of the South Carolina Coastal Conservation League and the
15 Southern Alliance for Clean Energy (collectively, "CCL/SACE") and 3) the direct

1		testimony of Mr. Tyler Norris filed on behalf of the South Carolina Solar Business
2		Alliance ("SCSBA").
3		
4		REBUTTAL TO TESTIMONY OF MR. BRIAN HORII
5	Q.	MR. HORII BEGINS HIS DIRECT TESTIMONY ON PAGE 4, LINE 5 BY
6		BRIEFLY SUMMARIZING THE REQUIREMENTS OF PURPA. DID MR.
7		HORII OMIT ANY IMPORTANT ISSUES FROM HIS SUMMARY?
8	A.	Yes. In his summary of PURPA, Mr. Horii failed to recognize the regulation
9		that is most relevant to these proceedings. Specifically, 18 C.F.R. § 292.304(a)(2)
10		provides that "[n]othing requires any electric utility to pay more than the
11		avoided costs for purchases." Mr. Horii's testimony regarding the "capacity value
12		of solar" therefore is largely irrelevant because it does not identify any effect on
13		SCE&G's resource plan and does not explain how the Company avoids any
14		capacity related costs.
15		
16	Q.	ON PAGE 9, LINE 14, MR. HORII CLAIMS THAT YOU DID NOT
17		IDENTIFY A FLAW IN THE PROBABILISTIC LOSS OF LOAD
18		EXPECTATION ("LOLE") METHOD. DO YOU AGREE?
19	A.	No. On page 18 of my direct testimony, I specifically recognized that "[t]he
20		LOLE methodology addresses average risk for the entire year and an unacceptable
21		risk level on the peak day can be hidden by the summary result for the year." Stated
22		differently, the LOLE method looks at the peak demand on every day of the year

1		and fails to focus on the significant risk associated with the one-hour seasonal peak
2		demand. The example I provide shows this point clearly. My example shows that
3		the LOLE methodology implies that 195 MW of capacity increases reliability
4		enough to counterbalance the increased risk associated with a spike in peak demand
5		of 500 MW which is simply an unreasonable result.
6		
7	Q.	ON PAGE 9 LINE 26 MR. HORII EXPLAINS REGARDING THE 500 MW
8		SPIKE THAT SCE&G "WOULD ONLY HAVE A PROBLEM UNDER
9		THE JOINT CONDITIONS" WHICH HE LISTS. DOES THAT
10		ELIMINATE THE ISSUE OF A FLAW?
11	A.	No, it does not. In fact, it supports my contention that the LOLE method is
12		not a sufficient analysis to address the risk of a spike in demand. The conditions
13		Mr. Horii discusses include spikes in other hours of the year, loss of generating
14		capacity and importing power, all of which represent considerations beyond the
15		calculation of the LOLE index.
16		
17	Q.	ON PAGE 9, LINE 23, MR. HORII STATES "IT WOULD CLEARLY BE
18		OVERBUILDING TO ADD 500 MW OF CAPACITY FOR THE CHANCE
19		THAT YOU MIGHT HAVE A 500 MW SPIKE IN LOAD." DO YOU
20		AGREE?
21	A.	I agree that building a 500 MW generating plant to serve a 500 MW spike in

demand is not appropriate. However, deploying a demand response program to

7	Q.	ON PAGE 8, LINE 12, MR. HORII DESCRIBES SCE&G'S APPROACH TO
6		
5		help serve customers when the spike occurs.
4		21% winter reserve margin, SCE&G includes the need for 556 MW of reserves to
3		demand risk related to a spike in winter peak demand of 556 MW. In deriving the
2		attached as Exhibit No (JML-3) to my direct testimony, SCE&G identifies the
1		address the full 500 MW spike would be appropriate. In its reserve margin study

Q. ON PAGE 8, LINE 12, MR. HORII DESCRIBES SCE&G'S APPROACH TO PLANNING AS DETERMINISTIC. IS THIS DESCRIPTION CORRECT?

No, it is not. In the Reserve Margin Study, Table 3 shows the probability distribution of supply side risk. SCE&G chooses the 70th percentile from this distribution as a component of reserves. This leaves a 30% probability of a supply shortfall in a very cold winter. In sum, SCE&G's approach is based on recognized probabilistic methods and is not deterministic.

Q.

A.

A.

WHY DOESN'T SCE&G MODERATE THE 556 MW DEMAND SIDE RISK COMPONENT OF RESERVES BY TAKING INTO CONSIDERATION THE LOW PROBABILITY OF A VERY COLD WINTER OCCURRING?

SCE&G considers the demand side risk differently than the supply side risk.

In its resource planning SCE&G must consider the risk of a very cold winter occurring not only next year but the year after and the year after that and so on. For

SCE&G, it is not a question of "if" the system will experience a very cold winte
but a question of "when."

Q.

A.

CAN YOU ILLUSTRATE THIS POINT MORE CLEARLY?

Yes, I can. SCE&G's probability distribution of demand side risk is shown in Table 2 of the Reserve Margin Study. This table shows the maximum demand risk of a 556 MW spike and a 90th percentile of 527 MW. This means that there is a 10% probability of a winter spike in demand between 526 and 556 MW. Using probability theory, it is a simple matter to show that this 10% probability implies a 79.4% probability of at least one very cold winter occurring during the 15-year IRP planning horizon. With reliability of service being the goal, SCE&G believes the 79.4% probability is more relevant to resource planning than the 10%.

Q.

A.

ON PAGE 10, LINE 15, MR. HORII SUGGESTS THAT AN HOURLY LOLE ANALYSIS WOULD BE MORE USEFUL THAN THE DAILY ANALYSIS PROVIDED, DO YOU AGREE?

No, I do not. In fact, the hourly LOLE is more flawed than the daily LOLE because, instead of the risk of meeting 365 daily peaks, it uses all 8,760 hours of load without due consideration for the most important hours, i.e., the seasonal peak demands.

1 Q. DID YOU CALCULATE AN HOURLY LOLE? IF SO, WHAT DID IT 2 SHOW?

A. Yes. I replicated the work shown in Exhibit No. __ (JML-4) of my direct testimony. The following table summarizes the results. When using hourly data, the LOLE guidance of 1 day in 10 years becomes 24 hours in 10 years, i.e., we want LOLE to equal 2.4 hours per year.

Reserve Margin Distributions for Hourly LOLE=2.4 for Years 2004-2018			
	Minimum	Median	Maximum
Peak Method	8.8%	10.6%	12.7%
Energy Method	7.1%	10.5%	13.6%

7

8

9

For comparison the following table is a copy of the daily peak LOLE analysis summarized in my direct testimony.

10

Reserve Margin D	istributions for Daily	Peak LOLE=0.1 for	Years 2004-2018
	Minimum	Median	Maximum
Peak Method	16.6%	18.2%	20.5%
Energy Method	14.8%	17.2%	21.3%

11

12 Q. WHY DOES THE LOLE BASED ON DAILY PEAK DATA INDICATE THE 13 NEED FOR A HIGHER RESERVE MARGIN THAN THAT USING THE 14 HOURLY LOLE ANALYSIS?

15 A. The Company's goal is to provide reliable service to every customer
16 everyday regardless of how cold or hot the weather may be. Most of the risk related
17 to unserved load occurs in the peak and near peak demands. As you throw more
18 loads into the LOLE analysis, for example, going from 365 daily peak loads to

8,760 hourly loads, the risk gets diluted, that is, the peak hour risk gets averaged out over many other loads where there is little risk. The LOLE can also be calculated on system loads integrated over 15 minutes. SCE&G works with this 15-minute data all the time. When using 15-minute data, instead of the day being split into 24 intervals, it is split into 96 intervals and for a 1 day in 10-year equivalence, we want LOLE to equal 9.6. Additionally, instead of daily peaks, we can look at weekly peaks in which case the LOLE for 1 day in 10 years should equal 0.0143, i.e., 1 over 7 divided by 10. The following table shows the results based on SCE&G's 2018 load data.

LOLE	Number of	Reserve	LOLE	Description
Method	Intervals	Margin	Value	
Weekly	52	23.6%	0.0143	1 day=0.143 weeks in 10 years
Daily	365	19.3%	0.1	1 day in 10 years
60-minute	8,760	11.4%	2.4	1 day=24 hours in 10 years
15-minute	35,040	11.1%	9.6	1 day=96 intervals in 10 years

The results shown in the table demonstrate that the more intervals analyzed with the LOLE methodology, the more the risk becomes diluted and the smaller the indicated need for capacity, an erroneous indication.

SHOW?
SPIKE USING THE LOLE HOURLY ANALYSIS? IF SO, WHAT DID IT
DID YOU RE-CALCULATE YOUR EXAMPLE INVOLVING A 500 MW

Yes, I did the calculations. Using the hourly LOLE analysis, my example shows that the LOLE methodology implies that adding only 57 MW of capacity increases reliability enough to counterbalance the increased risk associated with a spike in peak demand of 500 MW, which again is simply an unreasonable result and, in fact, more unreasonable than the LOLE results based on daily data.

Q.

A.

Q.

A.

ON PAGE 8, LINE 8, MR. HORII SUGGESTS IT IS A FLAW NOT TO RECOGNIZE SOLAR CAPACITY VALUE "DURING THE MYRIAD OF OTHER PEAK HOURS" WITH RELIABILITY RISK. DO YOU AGREE?

No, I do not, and I think his reference to the value of solar only confuses the primary issue which is avoided costs. Almost every kWh that a solar farm puts on the grid has value and SCE&G's PR-2 rate compensates for that value. But the relevant question is what costs are avoided and, specific to this issue, what capacity-related costs are avoided. The intent of PURPA is to hold electric customers harmless through a QF purchase. In other words, customers should be financially indifferent between receiving a kWh from a solar facility or from SCE&G's resources. Since incremental amounts of solar do not enable SCE&G to avoid capacity costs, the avoided capacity costs are zero.

1	Q.	ON PAGE 7, LINE 19, MR. HORII POINTS OUT THAT "SOLAR ONLY
2		HAS THE ABILITY TO REDUCE THE WINTER PEAK IN ONE OUT OF
3		THE PAST FIVE WINTERS." DOES THAT IMPLY SOLAR HAS SOME
4		CAPACITY VALUE IN WINTER?
5	A.	No, it does not. The one winter peak that occurred in the past five winters
6		was on January 5, 2018. On page 7 of my direct testimony, I explained that solar
7		capacity added to the system above 500 MW had no effect on the net peak demand.
8		and it should be noted that SCE&G has already contracted for more than 1,000
9		MW of solar.
10		
11	Q.	ON PAGES 10 THROUGH 14, MR. HORII DISCUSSES A 'CAPACITY
12		VALUE FACTOR" DERIVED FROM THE DUKE ENERGY PROGRESS
13		("DEP") AND DUKE ENERGY CAROLINA ("DEC") SYSTEMS? IS THIS
14		COMPARISON RELEVANT TO THIS DOCKET?
15	A.	No, it is not relevant. The relevant matter is SCE&G's avoided capacity costs
16		which should be derived from a change in SCE&G's resource plan caused by the
17		purchase from a QF. Capacity value factors and how solar generation may affect
18		the DEP and DEC systems are not relevant to this determination.
19		

1	Q.	ON PAGES 14 THROUGH 17, MR. HORII DERIVES AND
2		RECOMMENDS AN AVOIDED CAPACITY VALUE OF \$0.0029 PER
3		KWH BASED ON THE COST OF A 93 MW CT. DO YOU BELIEVE THIS
4		CALCULATION IS RELEVANT?
5	A.	No. Since it is not based on any costs that SCE&G will avoid, it is not
6		relevant.
7		
8	Q.	ON PAGE 14, LINE 1, MR. HORII ARGUES THAT IT IS APPROPRIATE
9		TO BASE SCE&G'S AVOIDED CAPACITY COSTS ON OTHER UTILITY
10		SYSTEMS? DO YOU AGREE?
11	A.	No, I do not. There is nothing in the PURPA law or the FERC regulations
12		that suggests setting an avoided cost for one utility based on the avoided cost of
13		another utility is appropriate. Avoided capacity costs should be based on changes
14		in the need for capacity on SCE&G's system. Otherwise, SCE&G's customers will
15		pay a higher price for power than intended by PURPA.
16		
17	Q.	ON PAGE 17, LINE 9, MR. HORII OPINES THAT SCE&G SHOULD
18		PUBLISH A NON-SOLAR PR-2 RATE? DO YOU AGREE?
19	A.	No, I do not. PURPA was passed in 1978 and SCE&G has been able to
20		satisfactorily negotiate avoided costs without a published tariff until the recent
21		surge in generation from solar OFs. There are no non-solar OFs requesting avoided

cost contracts at present. Therefore, there is no need for a non-solar published tariff.

1		The only reason SCE&G has a published solar tariff is to more efficiently and
2		effectively serve the volume of solar QFs. Additionally, the avoided cost of a QF
3		is highly dependent on the type of QF in question and how its output profile
4		interacts with SCE&G's load profile as well as the output profiles of all the solar
5		QFs already under contract.
6		
7	Q.	ON PAGE 17, LINE 19, MR. HORII ARGUES THAT SCE&G SHOULD
8		ADD A CAPACITY VALUE TO PR-1 FOR NON-SOLAR RESOURCES?
9		DO YOU AGREE?
10	A	No, I do not for reasons identical to those arguing against a non-solar PR-2
11		tariff.
12		
13	Q.	ON PAGE 30, LINE 3, MR. HORII RECOMMENDS THAT TABLE 12 IN
14		MY AMENDED DIRECT TESTIMONY, WHICH REFLECTS THE NEM
15		VALUES, SHOULD BE CHANGED TO INCLUDE HIS VARIABLE
16		INTEGRATION COST AND HIS CALCULATED AVOIDED SOLAR
17		CAPACITY VALUES? DO YOU AGREE?
18	A	No, I do not. The avoided capacity costs for solar is zero on the SCE&C
19		system. I also support the variable integration cost estimated by Mr. Tanner.
20		therefore believe it is appropriate for the NEM calculation to reflect SCE&G's

proposed values for these components.

21

Q. ON PAGE 8, LINE 13, MR. HORII CLAIMS "A FOCUS ON A SINGLE PEAK HOUR IS AN OUTDATED APPROACH." DO YOU AGREE?

A.

A.

No, I do not. I believe all electric utilities that have a responsibility to reliably serve customers worry about serving load during that single peak hour and it makes sense to do so. In resource planning, if an electric utility has sufficient capacity to reliably serve the single peak hour with its attendant demand and supply risks, then it logically follows that the utility will have enough capacity to serve a lesser load on the system. In fact, serving these lesser loads is more of an operations issue in that the pertinent question is how best to deploy the resources whose amount has already been established by analysis of the single peak demand.

REBUTTAL TO THE TESTIMONY OF MS. DEVI GLICK

Q. WITH RESPECT TO MS. GLICK'S TESTIMONY, PLEASE EXPLAIN HOW YOU ORGANIZE YOUR RESPONSES.

In the same manner I responded to Mr. Horii's testimony, my rebuttal testimony sequentially addresses the issues raised by Ms. Glick as they appear in her direct testimony.

I	Q.	ON PAGE 18, LINE 13, MS. GLICK ARGUES THAT SCE&G SHOULD
2		USE THE PEAKER METHOD TO ESTIMATE AN AVOIDED CAPACITY
3		COST FOR SOLAR? DO YOU AGREE?
4	A.	No, I do not. Additional solar on SCE&G's system will not change its
5		resource plan because solar does not affect the winter peak demand. Making
6		SCE&G's customers pay avoided capacity costs when they don't exist is certainly
7		inappropriate and contrary to the intention of PURPA.
8		
9	Q.	ON PAGE 19, LINE 6, MS. GLICK SAYS SCE&G HAS AN OBLIGATION
10		TO CONTINUE FILLING IN THE NEM VALUE OF DER TABLE? DO
11		YOU AGREE?
12	A.	Yes, I do, and SCE&G has provided a value for each NEM component. Some
13		of those values just happen to be zero, as has been the case in previous years.
14		
15	Q.	ON PAGE 19, LINE 20, MS. GLICK CLAIMS THAT "THE COMPANY
16		FAILED TO PROPERLY CALCULATE THE AVOIDED GENERATION
17		CAPACITY PORTION OF THE NEM DER? DO YOU AGREE?
18	A.	No, I do not. The avoided capacity cost of NEM solar is zero which is
19		reflected in the table.
20		

1	Q.	ON PAGE 20 LINES 4 THROUGH 10 MS. GLICK ARGUES THAT SCE&G
2		SHOULD INCLUDE AN AVOIDED TRANSMISSION AND
3		DISTRIBUTION ("T&D") CAPACITY COST, USE MARGINAL LINE
4		LOSSES NOT AVERAGE AND RE-EVALUATE ITS FUEL HEDGE
5		AVOIDED COST? HOW DO YOU RESPOND?
6	A.	SCE&G's avoided capacity costs related to T&D are zero, which is reflected
7		in the NEM table. The line losses are marginal line losses and SCE&G does not
8		hedge fuel, so the avoided cost of fuel hedging is zero as reflected in the NEM
9		table.
10		
11		REBUTTAL TO TESTIMONY OF MR. NORRIS
12	Q.	WITH RESPECT TO MR. NORRIS' TESTIMONY, PLEASE EXPLAIN
13		HOW YOU ORGANIZE YOUR RESPONSES.
14	A.	In the same manner I responded to Mr. Horii's and Ms. Glick's testimony,
15		my rebuttal testimony sequentially addresses the issues raised by Mr. Norris as they
16		appear in his direct testimony.
17		
18	Q.	ON PAGE 12, LINE 20, MR. NORRIS CLAIMS THAT "SCE&G'S NEW
19		RATE IS WHOLLY UNFINANCEABLE FOR ANY SOLAR DEVELOPER
20		IN THE REGION." DO YOU AGREE?
21	A.	I cannot agree nor disagree with this claim since I do not know what profit
22		return solar developers require nor how they finance their projects. However,

1		SCE&G's avoided cost rates are based on SCE&G's avoided costs and do not
2		consider whether or not a QF project can be financed.
3		
4	Q.	ON PAGE 14, LINE 3, MR. NORRIS CLAIMS THAT "SCE&G DOES NOT
5		EVEN ATTEMPT TO CALCULATE AVOIDED CAPACITY RATES" AND
6		"SIMPLY CLAIMS" THAT SOLAR HAS NO CAPACITY VALUE. DO
7		YOU AGREE?
8	A.	I do not. Exhibit No (JML-1) is a study titled "The Capacity Benefit of
9		Solar QFs 2018 Study." This study explains that solar does not affect system load
10		at the time of a winter peak and therefore cannot alter the resource plan which, if it
11		did, could have non-zero avoided capacity costs.
12		
13	Q.	ON PAGE 18, LINE 10, MR. NORRIS SUGGESTS THAT "CAPITAL BIAS
14		MIGHT LEAD A UTILITY LIKE SCE&G TO PREFER MEETING ITS
15		WINTER PEAKING NEEDS BY CONSTRUCTING A NEW NATURAL
16		GAS FACILITY" DO YOU AGREE?
17	A.	No, I do not. SCE&G's winter reserve margin target is 21% with 7% of that
18		designated as peaking and 14% as base. SCE&G is currently studying how to meet
19		the peaking need through demand response programs targeted for winter.
20		
21	Q.	DOES THIS CONCLUDE YOUR REBUTTAL TESTIMONY?
22	Λ	$\mathbf{V}_{\mathbf{a}\mathbf{a}}$